



AUTO REWIND HOSE REELS







Ergonomic handle *Lightweight and portable*

Spring latch mechanism Allows the reel to be fitted in any orientation

Industrial strength fittings For long life and reliability

Easy to maintain

Reel can be maintained or retensioned without removal from installation





AR2101



AR2121



AW2101



AW2150







DR2121

CW2121

ĺ	Reel type	air		air/water			water	
	Application			pneumatic			domestic/garden	cold wash
	Hose ID	10mm	12.5mm	10mm	10mm	12.5mm	12.5mm	12.5mm
	Hose length	20m	15m	20m	15m	15m	18m	15m
	Working pressure	1 700kPa	1 700kPa	1 700kPa	1 700kPa	1 700kPa	860kPa	1 000kPa
		(250psi)	(250psi)	(250psi)	(250psi)	(250psi)	(125psi)	(150psi)
	Hose material	superflex PVC	superflex PVC	reinforced PVC	reinforced PVC	reinforced PVC	reinforced PVC	reinforced PVC
	Reel colour	red	red	blue	blue	blue	green	blue
	Hose colour	yellow	yellow	blue/yellow	blue/yellow	blue/yellow	green/yellow	white/blue
	Max working temp	60°C	60°C	60°C	60°C	60°C	60°C	60°C
	Reel inlet	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
ĺ	Hose outlet	1/4"	3/8"	1/4"	1/4"	3/8"	hose nozzle	hose nozzle
ĺ	Weight	10kg	10kg	10kg	10kg	10kg	10kg	10kg

*Note: Subject to Macnaught warranty terms and conditions see http://www.macnaught.com.au/warranty

RELIABILITY COMES STANDARD



12m	12m	10m	15m	15m	10m	10m	16m
1 400kpa	20 700kPa	34 500kPa	1 400kPa	1400kPa	2 800kPa	6 900kPa	1 700kpa
(200psi)	(3000psi)	(5000psi)	(200psi)	(200psi)	(400psi)	(1000psi)	(250psi)
reinforced rubber	reinforced rubber (SAE100R2AT)	reinforced rubber (SAE100R2)	reinforced rubber (AS1335)	reinforced rubber (AS1335)	reinforced rubber (SAE100R6)	reinforced rubber (SAE100R1)	reinforced PVC
red	red	black	black	blue	blue	blue	red
red	black	black	orange/blue	red/blue	black	black	red
90°C	95°C	n/a	n/a	n/a	95°C	n/a	60°C
3/8"	3/8"	3/8"	5/8" UNF	5/8" UNF	3/8"	3/8"	3/8"
3/8"	3/8"	3/8"	5/8" UNF	5/8" UNF	1/2"	1/2"	1/4"
10kg	12kg	13kg	13kg	13kg	10kg	13kg	10kg

Accessories and repair kits

General accessories

Description	Part number
Wall mount bracket	BU100
Bench mount bracket	BB100

Water accessories- recommended for DR2121

Description	Part number
Spray nozzle set	RH10-1S
Feeder hose set	RH12S

Oil accessories- recommended for OMP2121/OLP2101

Description	Part number
1/2" oil control gun with rigid extension and non drip nozzle	HG20R-01
1/2" oil control gun with flexible extension and non drip nozzle	HG20F-01
1/2" oil control gun with electronic meter, rigid extension and non drip nozzle	HG20R-012E-01
1/2" oil control gun with electronic meter, flexible extension and non drip nozzle	HG20F-012E-01
1/2" oil control gun with electronic meter, rigid extension and premium non drip nozzle	HG55-01
1/2" oil control gun with preset electronic meter, rigid extension and premium non drip nozzle	HG60-01
T312T 3:1 ratio drum pump	T312T-01
T512T 5:1 ratio drum pump	T512T-01
R300S 3:1 ratio stub pump	R300S-01
R500S 5:1 ratio stub pump	R500S-01

Grease accessories- recommended for GR2061

Description	Part number	
50:1 grease pump (20kg)	P3-01C	
50:1 grease pump (55kg)	P6-01	
50:1 grease pump (180kg)	P8-11	
B2 booster grease gun	B2-01	

General repair kits

Description	Part number
Latching side plate set	RP114A-BLACKS
Drum Assembly	RP35-BLACKS



Ph: 1800 185 102 Fax: 1800 186 402 E-mail: info@macnaught.com.au For Warranty Terms and Conditions see www.macnaught.com.au For a list of Australian Service Centres see www.macnaught.com.au